

## FROZEN SOIL IN SPITZBERGEN.

By W. WERENSKIÖLD.

[Excerpt from *Geofysiske Publ.*, vol. 2, No. 10, Kristiania, 1922.]

In regions with a sufficiently low mean annual temperature, combined with slight snowfall, the subsoil is constantly frozen. A layer of snow acts as a good insulator, and the ground is thus protected against excessive cooling in countries with heavy snowfall.

Spitzbergen affords the natural condition for a formation of permanent frozen subsoil. The mean annual temperature is about  $-8^{\circ}$  (Centigrade), and the snow that comes during the winter, is blown together in heaps, mostly in cirques and other hollows. The snow is also to a great extent blown out of the valleys and deposited on the fiord ice.

If the temperature is supposed to rise uniformly with one degree centigrade per 40 metres, the layer of frozen subsoil—earth and rock—should attain the enormous thickness of about three hundred metres, or one thousand feet. In the Swedish coal mine (Sveagruvan) in Lowe Sound a temperature of  $0^{\circ}\text{C}$ . was actually found in a depth of about 320 metres below the surface, and 430 metres from the mouth of the level adit. The rock is quite dry.

During the summer the soil thaws to a depth of some 2 feet, and the ground is constantly water-soaked. The frozen soil is a very important factor in all sort of ground work, diggings, and foundations. Frost-safe cellars do not exist in this country; and if the stability of a stone wall or pillar must be absolutely certain, it must be founded on solid rock. The chief difficulty seems to be that a concrete wall, for instance, acts as a better heat conductor than the water-soaked soil, and may therefore cause thawing at the bottom. If the foundation is sufficiently deep in the frozen soil—5 feet or so—there is generally no danger.

The frozen soil continues for some distance under the sea bottom; but the upper limit slopes down at a quicker rate than the beach, and disappears farther out under the sea.

The conditions are somewhat different at different places, chiefly owing to the variable temperature of the sea water, and the profile of the beach. At the pier of the Swedish mine, the ice was found to stretch under the sea bottom to a distance of about 100 metres from the shore, according to information gathered at the place.

THE PRÖTT THEOREM.<sup>1</sup>

By F. LINKE.

[Abstract reprinted from *Science Abstracts*, Apr. 25, 1923, p. 174, § 429.]

By his study of psychometric tables and graphic representations of the connection between temperature and humidity of the air, C. H. Prött was led to the discovery of laws which on account of their easy applicability merit the attention of meteorologists. He maintains that in many cases of technique and hygiene the temperature and relative humidity of the air do not sufficiently characterize the thermal state of moist air, and even lead to false conceptions. What is much more important is to determine the total thermal content of the air, consisting on the one hand of free heat as revealed in the atmos-

pheric temperature, and on the other hand of the heat latent in the aqueous vapour. This total thermal content is, he maintains, solely indicated by the reading of an aspiration wet-bulb thermometer. He therefore provided a wet-bulb thermometer with a corresponding scale and patented it in 1913 under the name of "Pröttmeter." Especially important is the introduction of "relative saturation," instead of the hitherto customary "relative humidity." The former refers to the maximum humidity at the temperature of the wet-bulb thermometer, the latter to that at the temperature of the dry-bulb thermometer. The former refers to the maximum amount of aqueous vapour which the air can actually absorb without change of temperature, the latter to the aqueous vapour which it contains theoretically. There can be no doubt that the former is practically the more important. A mathematical working out of the laws, which does not lend itself to abstraction, is followed by various suggestions for their technical application.—E. F.

THE REGIONAL PECULIARITIES OF THUNDERSTORM OCCURRENCE IN NORTH GERMANY.<sup>1</sup>

By K. LANGBECK.

[Abstract reprinted from *Science Abstracts*, Apr. 25, 1923, pp. 174-175, §430.]

An inquiry based on material collected by the Preuss Meteorolog. Inst. from 1901 to 1910. In considering the question of the yearly and daily periods a system of comparison was adopted which attempted in the first place a general mean [percentage] distribution for the whole district under observation, and, secondly, to ascertain the "anomalies." The regional differences thus revealed lead to a point in connection with the origin of thunderstorms hitherto insufficiently considered, which touches the contrast between continental and oceanic climate, and finds an analogy on a small scale in the contrast between mountain and valley. The following questions were investigated: (1) A relative estimate of the different districts as regards the formation of storms; (2) the yearly period of storm occurrence; (3) the [percentage] distribution of storm direction. The influence of a climatic temperature contrast on the generation of electric phenomena which is revealed by the North German observations enables us to understand the general distribution of storm frequency on the earth. Wherever there are, owing to opposition between land and sea, mountain and valley, warm and cold air currents or ocean currents, or differences in temperature and humidity, there must be increased storm frequency. Exceptions under special climatological and aerological conditions may be explained by the absence in such cases of sufficient masses of warm, humid air.—E. F.

## ATMOSPHERICS IN CARIBBEAN DURING THE SPRING OF 1923.

A letter under date May 21, 1923, received from the superintendent of the radiotelegraph department of the United Fruit Co., stationed at Swan Island, contains the following paragraph:

As mentioned in my former letter, atmospheric disturbances in this vicinity have been detrimental to our radio service so far this season;

<sup>1</sup> *Meteorologische Zeitschrift*, Sept., 1922, pp. 267-272.<sup>1</sup> *Meteorologische Zeitschrift*, Sept., 1922, pp. 257-263.

in fact we have never before experienced such severe electrical disturbances as has been the case during the past two months \* \* \*.

### RAINFALL AT PORTO VELHO, BRAZIL.<sup>1</sup>

The monthly and annual precipitation at Porto Velho, Brazil, as recorded by the Madeira Mamore Railway Co. has been published;<sup>2</sup> we have now received the statistics for 1921 and the first 6 months of 1922, as in the table below.

Monthly and annual precipitation (inches) for Porto Velho, Brazil.

Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Annual.
1921.....	24.52	11.30	18.83	12.13	10.22	2.63	0.51	4.37	2.52	8.67	14.67	20.36	130.73
1922.....	28.57	24.97	32.71	9.41	4.71	4.15	.....	.....	.....	.....	.....	.....	.....

<sup>1</sup> Communicated by Dr. F. L. Hoffman, Prudential Life Insurance Co.

<sup>2</sup> MO. WEATHER REV., Aug., 1922, 50: 416.

—A. J. H.

### BIBLIOGRAPHY.

#### RECENT ADDITIONS TO THE WEATHER BUREAU LIBRARY.

C. FITZHUGH TALMAN, Meteorologist in Charge of Library.

The following have been selected from among the titles of books recently received as representing those most likely to be useful to Weather Bureau officials in their meteorological work and studies:

- Baldit, Albert.**  
Études élémentaires de météorologie pratique. 2nd ed. Paris. 1922. xiii, 428 p. illus. 25½ cm.
- Bombay. Meteorological office.**  
Rainfall of the Bombay presidency for years previous to 1891. v. 6. Bombay. 1922. 658, 6 p. map. 33 cm.
- Carton, P.**  
La météorologie agricole dans les pays tropicaux, en Indochine en particulier. Saigon. 1921. 48 p. 27 cm.
- Claxton, T. F.**  
Winds of Hongkong (appendix to Hongkong observations, 1921). Hongkong. 1921. 105 p. plates. 34½ cm.
- Freybe, O.**  
Praktische Wetterkunde. Eine gemeinverständliche Anleitung zur Benutzung von Wetterkarten in Verbindung mit örtlichen Wetterbeobachtungen. 2te Aufl. Berlin. 1922. 82 p. 23½ cm. Schulwetterkunde. Berlin. 1922. 60 p. illus. 19 cm.
- Gautier, Raoul.**  
Nouvelles mesures des chutes de pluie et neige au Grand Saint-Bernard. Genève. 1922. p. 343-353. illus. 23 cm. (Extr.: Arch. sci. phys. et natur., 5<sup>me</sup> per. v. 4. Sept.-Oct., 1922.)
- Granqvist, Gunnar.**  
Ström- och windobservationer vid fyrekeppen. 1921. Helsingfors. 1922. 40 p. fig. 24½ cm. (Ström- und Windbeobachtungen an den Leuchtschiffen 1921.) [Havsforskningsinstitutets skrift, no. 13.]
- Great Britain. Medical research council.**  
Kata-thermometer in studies of body heat and efficiency. London. 1923. 196 p. illus. 24½ cm. (Privy council. Special report series, no. 73.)
- Hall, Maxwell.**  
Rainfall of Jamaica from about 1870 to end of 1919. Jamaica. 1923. 21 p. map. 34 cm.
- Mathias, E.**  
Rapport sur l'état actuel de l'électricité atmosphérique. Paris. 1922. p. 83-170. 23 cm. (Extr.: Annales de physique, 9. ser. T. 18. Juil.-août, 1922.)
- Morize, Henrique.**  
Contribuição ao estudo do clima do Brasil. Rio de Janeiro. 1922. vii, 118 p. plates. 30½ cm.
- Negretti & Zambra.**  
Notes on temperature. [London.] n. d. unpag. illus. 19 cm.
- New York. State commission on ventilation.**  
Ventilation. Report of the . . . New York. [c1923.] xxvi, 620 p. illus. 26½ cm.
- Nottingham. City engineer.**  
Meteorology of Nottingham. 1922. [Nottingham. 1922.] unpag. charts. 38½ cm.
- Östman, C. J.**  
Recherches sur les grands vents près de la côte suédoise du Golfe de Botnie. Stockholm. 1922. 47 p. diagr. plates. 32½ cm.
- Paris. Services techniques d'hygiène.**  
Météorologie. T. 3. Paris. 1922. 119 p. illus. 25½ cm. [Repaged reprint from Annales des Services techniques d'hygiène de la ville de Paris. Compte rendu des travaux de 1913 à 1919.]

- Sievers, F. J., & Holtz, H. F.**  
Influence of precipitation on soil composition and on soil organic matter maintenance. Pullman, Wash. 1923. 32 p. map. 23 cm. (Washington. State coll. Agric. exp. sta. Bulletin no. 176. February, 1923.)
- U. S. Department of agriculture.**  
Rain-making not feasible, says U. S. Weather bureau. [Washington.] 1923. 3 p. 36 cm. (U. S. Dept. agric. Office of sec. Press service. Released for publication March 21, 1923.)
- U. S. Department of the interior.**  
Wind cave, National park, South Dakota . . . Washington. 1922. 24 p. illus. 23½ cm. (National park service.)
- Waibel, Leo.**  
Winterregen in Deutsch-Südwest-Afrika. Eine Schilderung der klimatischen Beziehungen zwischen atlantischem Ozean und Binnenland. Hamburg. 1922. vi, 112 p. illus. plates (part fold.) 29 cm. (Hamburg. Univ. Abhandl. Gebiet Auslandskunde. Bd. 9. Reihe C. Naturwissensch. Bd. 4.)
- Wallén, Axel.**  
Rapport sur l'organisation de la météorologie agricole en Suède, présenté à la 6ème assemblée générale de l'Institut international d'agriculture à Rome, mai 1922. Rome. 1922. 6 p. 24 cm.
- Ward, Robert DeC.**  
Tornadoes of the United States. Washington. 1920. p. 139-145. illus. plate. 24½ cm. (Smithsonian report, 1918. Pub. 2552.)

#### RECENT PAPERS BEARING ON METEOROLOGY AND SEISMOLOGY.

C. F. TALMAN, Meteorologist in Charge of Library.

The following titles have been selected from the contents of the periodicals and serials recently received in the Library of the Weather Bureau. The titles selected are of papers and other communications bearing on meteorology and cognate branches of science. This is not a complete index of all the journals from which it has been compiled. It shows only the articles that appear to the compiler likely to be of particular interest in connection with the work of the Weather Bureau.

- Algeria. Service météorologique. Cahier, Alger. Année 1923. no. 1.**  
**Lasserre, A.** La formule psychrométrique de Regnault et celle de Mr. Angot devant le psychromètre du P. de Foucauld. p. 1-9.  
**Lasserre, A.** Note sur la variation de la correction de gravité de la hauteur barométrique avec l'altitude aux latitudes de l'Afrique du Nord. p. 9-13.  
**Petitjean, L.** Surfaces de discontinuité en Algérie et au Sahara. p. 13-16.
- American meteorological society. Bulletin. Worcester, Mass. v. 4. March, 1923.**  
**Bavendick, F. J.** The blizzard of February 13-14, 1923, in the northern plains. p. 45.  
**Clayton, H. H.** The use of observations of solar phenomena in weather forecasting in Argentina. p. 34-37. [Abstract.]  
**Clayton, H. H.** Variations in solar radiation and the weather. p. 33-34. [Abstract.]  
**Eshleman, Cyrus H.** The weather and epidemics. p. 48.  
**Fergusson, S. P., & Covert, R. N.** The measurement of the wind. p. 41-44. [Abstract.]  
**McAdie, Alexander.** Dampness indoors and out. p. 38-40. [Abstract.]